Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L2	6	((166/77:53) or (166/85:1) or (175/256)). <i>CC</i> LS.	EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/15 19:37
L3	8	(align\$3 with (tubulars or tubes or pipes or rods) with position\$3 with memori\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 19:50
L4	690	((position\$3 or align\$3 or orient\$3) with (tubulars or tubes or pipes or rods) with (recall\$3 or memori\$4))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 20:55
L5	113	((position\$3 or align\$3 or orient\$3) with (tubulars or tubes or pipes or rods) with (recall\$3 or memori\$4)).ab.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 20:15
L6	577	4 not 5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ÓN	2005/08/15 20:15

L7	345	6 and (process or procedure or method)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 20:34
:L8	232	4 not (5 or 7)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 20:35
L9	169	(position\$3 or align\$3 or orient\$3) same (tubulars or tubes or pipes or rods) with (recall\$3 or memori\$4) same (computer or controller or cpu or logic adj controller or control adj system)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:04
L10	101	9 not 4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 20:57
L11	1792	(position\$3 or align\$3 or orient\$3) and (tubulars or tubes or pipes or rods).ab. and (recall\$3 or memori\$4) and (computer or controller or cpu or logic adj controller or control adj system)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:17

L12	1515	11 and (method or process or procedure)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:05
L13	248	(tubulars or tubes or pipes or rods).ab. and ((position\$3 or align\$3 or orient\$3) same (recall\$3 or memori\$4) same (computer or controller or control adj system))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:09
L14	212	13 not 4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:09
L15	212	14 not 7	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:09
L16	194	14 not 9	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:09

L17	1680	(position\$3 or align\$3 or orient\$3) and (tubulars or tubes or pipes or rods).ab. and (recall\$3 or memori\$4) and (computer or controller or cpu or logic adj controller or control adj system) and (machine or apparatus or device)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 22:54
L18	617	(position\$3 or align\$3 or orient\$3) with (recall\$3 or memori\$4) with (computer or controller or cpu or logic adj controller or control adj system) with (machine or apparatus or device)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:33
L19	605	18 no† 4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:22
L20	129	19 and (tubes or tubulars or rods pipes)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:24
L21	459	(position\$3 or align\$3 or orient\$3) same (recall\$3 or memori\$4) same (computer or controller or cpu or logic adj controller or control adj system) same (machine or apparatus or device) same (pipes or tubes or tubulars or rods)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:34

L22	446	21 not 20	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:35
L23	433	21 not 16	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 21:35
L24	316	23 and (method or process or procedure)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 22:35
L25	300	24 not 13	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 22:35
L26	7	(position\$3 or align\$3 or orient\$3) with (tubulars or tubes or pipes or rods) with (recall\$3 or memori\$4) with (computer or controller or cpu or logic adj controller or control adj system) with (machine or apparatus or device)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 23:00

L27	7	(position\$3 or align\$3 or orient\$3) with (tubulars or tubes or pipes or rods) with (recall\$3 or memori\$4) with (computer or controller or cpu or logic adj controller or control adj system) with (machine or apparatus or device or manipulat\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 22:56
L28	O	27 not 26	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	S	2005/08/15 22:57
L29	<b>459</b>	(position\$3 or align\$3 or orient\$3) same (tubulars or tubes or pipes or rods) same (recall\$3 or memori\$4) same (computer or controller or cpu or logic adj controller or control adj system) same (machine or apparatus or device)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 23:04
L30	144	((position\$3 or align\$3 or orient\$3) same (tubulars or tubes or pipes or rods) same (recall\$3 or memori\$4) same (computer or controller or cpu or logic adj controller or control adj system)) and (machine or apparatus or device).ab.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 23:04
L31	<b>95</b>	30 not 25	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 23:04